

Re: Updated NASA Test Matrix - follow-up

Mocka, Corey <mocka.corey@epa.gov>

Tue 6/14/2011 3:57 PM

To: Zhishi Guo <Guo.ZhishiLNDU@usepa.onmicrosoft.com>

Cc: Liu, Xiaoyu <Liu.Xiaoyu@epa.gov>; Nancy Roache <Roache.NancyLNDU@usepa.onmicrosoft.com>; Logan, Russ <logan.russ@epa.gov>

 1 attachments (17 KB)

NASA_Test_Matrix_June2011_v1.1.docx;

I have updated the earlier test matrix to reflect the initial one Xiaoyu distributed. A few weeks ago, I discussed with Xiaoyu changing the sampling time from 14 days to 10 days, which she agreed with. We arrived at this sampling time based on the results of the previous NASA tests.

Again, the attached matrix reflects the original proposal, I have just expanded it for clarity.

<< NASA_Test_Matrix_June2011_v1.1.docx >>

Corey Mocka | Chemist | Contractor for the U.S. EPA
ARCADIS U.S., Inc. | 4915 Prospectus Drive, Suite F | Durham, NC 27713
T. 919.541.2862 | F. 919.544.5690 | corey.mocka@arcadis-us.com
www.arcadis-us.com

From: Zhishi Guo/RTP/USEPA/US
To: Corey Mocka/RTP/USEPA/US@EPA, Xiaoyu Liu/RTP/USEPA/US@EPA
Cc: Nancy Roache/RTP/USEPA/US@EPA
Date: 06/14/2011 02:21 PM
Subject: Updated NASA Test Matrix - follow-up

Dear Colleagues:

The plan that I proposed to Xiaoyu several weeks ago was what I considered the absolute minimum number of tests needed to write the report. We cannot trim it down even further. If we keep our early plan, I see two possible results:

- We get the data we need in time
- We get all the data we need with X (maybe 2?) weeks delay

Either is better than no report.

I am open to modification of the sampling plan but firm about the minimum number of tests needed.

Zhishi

All-

Please see the updated NASA test matrix that I have modified in order to fit our July 15th deadline. Please let me know if this meets expectations.

Corey

[attachment "NASA_Test_Matrix_June2011.docx" deleted by Corey Mocka/RTP/USEPA/US]

Corey Mocka | Chemist | Contractor for the U.S. EPA
ARCADIS U.S., Inc. | 4915 Prospectus Drive, Suite F | Durham, NC 27713
T. 919.541.2862 | F. 919.544.5690 | corey.mocka@arcadis-us.com
www.arcadis-us.com